

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/621,331	07/18/2003	Chang-Ming Yang	3073/69	2525	
22429	22429 7590 10/11/2006			EXAMINER	
LOWE HAUPTMAN BERNER, LLP			KOHARSKI, C	KOHARSKI, CHRISTOPHER	
1700 DIAGON SUITE 300	IAL ROAD		ART UNIT	PAPER NUMBER	
ALEXANDRI	A, VA 22314		3763		
			DATE MAILED: 10/11/200	6	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
•	10/621,331	YANG, CHANG-MING				
Office Action Summary	Examiner	Art Unit				
•	Christopher D. Koharski	3763				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	I. lely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) ■ Responsive to communication(s) filed on 18 Ju 2a) ■ This action is FINAL. 2b) ■ This 3) ■ Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro					
Disposition of Claims	•					
 4) Claim(s) 1-58 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) 1-58 are subject to restriction and/or expressions. 	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examine 11).	epted or b) objected to by the led drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate				

Application/Control Number: 10/621,331

Art Unit: 3763

DETAILED ACTION

Specification

The specification of the disclosure is objected to because is does not reference figure 40A in the description of the drawings section. Correction is required.

Election/Restrictions

This application contains claims directed to the following patentably distinct species:

A: Figures 1,2 4-8	I: Figure 19	Q: Figure 27	Y: Figure 35
B: Figure 12	J: Figure 20	R: Figure 28	Z: Figure 36
C: Figure 13	K: Figure 21	S: Figure 29	AA: Figure 37
D: Figure 14	L: Figure 22	T: Figure 30	AB: Figure 38
E: Figure 15	M: Figure 23	U: Figure 31	AC: Figure 39
F: Figure 16	N: Figure 24	V: Figure 32	AD: Figure 40, 40A
G: Figure 17	O: Figure 25	W: Figure 33	AE: Figure 43
H: Figure 18	P: Figure 26	X: Figure 34	AF: Figures 44-45

Upon election of a species above, the following subspecies drawn to different sterilizer designs is required:

I: Figure 9	III: Figure 11	V: Figure 42
II: Figure 10	IV: Figure 41	

Application/Control Number: 10/621,331

Art Unit: 3763

The species are independent or distinct because they are drawn to different protective cover designs and different integrations on the syringe tube body.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims are generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species.

MPEP § 809.02(a).

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not

Art Unit: 3763

distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher D. Koharski whose telephone number is 571-272-7230. The examiner can normally be reached on 7:30am to 4:00pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nick Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/621,331 Page 5

Art Unit: 3763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Date: 10/2/06

(A) Christopher D. Koharski AU 3763

NICHOLAS D. LUCCKESI SUPERVISORY PATENT EXAMINER TECHNO! COY CENTER 3700